	Application No. Applicant(s)		
	10/526,679	DACCORD ET AL.	
Notice of Allowability	Examiner	Art Unit	
	Angela M. DiTrani	3676	
	Angela M. Di Irani	3076	
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT F of the Office or upon petition by the applicant. See 37 CFR 1.31	S (OR REMAINS) CLOSED in t	this application. If not included	Э,
1. This communication is responsive to <u>04/04/2007</u> .	•		
2. The allowed claim(s) is/are <u>11-19</u> .			
3. ☑ Acknowledgment is made of a claim for foreign priority u a) ☐ All b) ☐ Some* c) ☒ None of the:		(f).	
1. Certified copies of the priority documents hav			
2. Certified copies of the priority documents hav			
3. Copies of the certified copies of the priority do	ocuments have been received	in this national stage application from the	
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:	•		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONI THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	" of this communication to file a MENT of this application.	reply complying with the requirements	
4. A SUBSTITUTE OATH OR DECLARATION must be submiNFORMAL PATENT APPLICATION (PTO-152) which give	nitted. Note the attached EXAN ves reason(s) why the oath or o	/INER'S AMENDMENT or NOTICE OF declaration is deficient.	
5. CORRECTED DRAWINGS (as "replacement sheets") mu	ust be submitted.		
(a) including changes required by the Notice of Draftsper		(PTO-948) attached	
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in	1.84(c)) should be written on the the header according to 37 CFR	drawings in the front (not the back) of 1.121(d).	
 DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT 	osit of BIOLOGICAL MATER FOR THE DEPOSIT OF BIOL	RIAL must be submitted. Note the OGICAL MATERIAL.	
Attachment(s)			
1. Notice of References Cited (PTO-892)		rmal Patent Application	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		nmary (PTO-413), lail Date	į
Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date		mendment/Comment	
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's S	tatement of Reasons for Allowance	
or biological iviaterial	9.		
	·		
	,		

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance:

The prior art of record along with the newly cited reference to US 2004/0247846 (Uzawa et al. herein) fails to explicitly teach or suggest the claimed limitation of providing a second fibrous component having a density close to that of the base fluid, said second fibrous component present at a concentration of less than 10% by mass of the total fibrous content of the fluid.

Uzawa et al. teaches a hydraulic cement composition that may include metallic fibers for the purpose of improvement of bending strength after hardening (see [0054]-[0058]) as well as a hydraulic cement composition that may include organic and/or carbon fibers for the purpose of improving fracture energy after hardening (see [0059]-[0062]). Uzawa et al. further teaches that the metallic fibers and the organic and/or carbon fibers can be used together (see [0063]). Example slurry 21 in Table 1 and example slurry 42 in Table 3 of Uzawa et al.'s disclosed invention each teach a cement slurry containing an equal volume percent of a mixed material of metallic fibers and a mixed material of organic fibers.

Therefore, the prior art of record along with the newly cited Uzawa et al. reference fails to teach the applicants invention as claimed, wherein the second fibrous component is present at a concentration of less than 10% by mass of the total fibrous content of the fluid.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably Art Unit: 3676

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Angela M. DiTrani whose telephone number is (571) 272-2182. The examiner can normally be reached on M-F, 7:30AM-5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian Glessner can be reached on (571) 272-6843. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov, Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

AD 180 05/02/2007

ZAKIYA BATES PRIMARY EXAMINER TECHNOLOGY CENTER 3600

Replacement
drowings
opproved
for entry
(130)
H/30/07





FIGURE 1

5

5






FIGURE 2

5




FIGURE 3A




FIGURE 3B



FIGURE 4A



FIGURE 4B